

Requirements	Very Small Quantity Generator	Small Quantity Generators	Large Quantity Generators
<b>Quantity Limits</b>			
The amount of hazardous waste generated per month determines how a generator is categorized and what regulations must be complied with.	≤100 kg/month, and ≤1 kg/month of acute hazardous waste, and ≤100 kg/month of acute spill residue or soil §260.10	>100 and <1,000 kg/month §260.10	≥1,000 kg/month, or >1 kg/month of acute hazardous waste, or >100 kg/month of acute spill residue or soil §260.10
<b>EPA ID Number</b>	Not required	Required §262.18	Required §262.18
<b>On-Site Accumulation Quantity</b>	≤1,000 kg or ≤1 kg acute hazardous waste or ≤100 kg of acute spill residue or soil §§262.14(a)(3) and (4)	≤6,000 kg §262.16(b)(1)	No Limit
<b>Accumulation Time Limits</b>	None	≤180 days or ≤270 days (if transporting greater than 200 miles) §§262.16(b)-(d)	≤90 days §262.17(a)
<b>Accumulation Requirements</b>	None	Basic requirements with technical standards for containers, tanks, drip pads or containment buildings §§262.16(b)(2)-(5)	Full compliance for management of containers, tanks, drip pads or containment buildings §§262.17(a)(1)-(4)
<b>Personnel Training</b>	Not Required	Basic training required §262.16(b)(9)(iii)	Required §262.17(a)(7)
<b>Contingency Plan &amp; Emergency Procedures</b>	Not Required	Basic planning required §§262.16(b)(9)	Full plan required Part 262 subpart M (from §262.17(a)(6))
Develop procedures to follow during an unplanned major event.			

The table below provides a summary of requirements for each class of hazardous waste generator. This is not an exhaustive list of all of the requirements for generators and should be used as just a guide. Generators are responsible for all applicable requirements in 40 CFR part 262. Additionally, hazardous waste generators should check with their state regulatory agency because certain states have additional or more stringent requirements than the federal government.

Requirements	Very Small Quantity Generator	Small Quantity Generators	Large Quantity Generators
<b>Preparedness &amp; Prevention</b>			
Develop procedures to follow in the event of an emergency.	Not Required	Required §262.16(b)(8)-(9)	Required Part 262 subpart M (from §262.17(a)(6))
<b>Air Emissions</b>			
Control hazardous air emissions from tanks and containers	Not required	Not Required	Required Part 265 sub-parts AA, BB and CC from §262.17(a)(1) and (2)
<b>Land Disposal Restrictions</b>			
Meet standards for placing on the land and associated requirements for certifications, notifications, and waste analysis plans	Not Required	Required Part 268 from §262.16(b)(7)	Required Part 268 from §262.17(a)(9)
<b>Manifest</b>			
Tracking hazardous waste shipments using the multiple-copy manifest - required by the Department of Transportation (DOT) and EPA	Not Required	Required Part 262 subpart B	Required Part 262 subpart B
<b>Waste Minimization</b>			
Certify steps taken to reduce or eliminate the generation of hazardous waste	None	Good faith effort required §262.27	Program in place required §262.27
<b>Pre-Transport Requirements</b>			
Package and label hazardous waste for shipment off site to a RCRA facility for treatment, storage, or disposal	Only if required by the DOT or the state	Required §§262.30-262.33	Required §§262.30-262.33
<b>Biennial Report</b>			
Report data from off-site shipments of waste during the previous calendar year	Not Required	Not Required	Required §262.41
<b>Exception &amp; Additional Reporting</b>			
Report if any required copies of signed manifests are not received back. Provide information on quantities and disposi-	Not Required	Required §§262.42(b) and 262.43	Required §§262.42 and 262.43

The table below provides a summary of requirements for each class of hazardous waste generator. This is not an exhaustive list of all of the requirements for generators and should be used as just a guide. Generators are responsible for all applicable requirements in 40 CFR part 262. Additionally, hazardous waste generators should check with their state regulatory agency because certain states have additional or more stringent requirements than the federal government.

Requirements	Very Small Quantity Generator	Small Quantity Generators	Large Quantity Generators
<b>Record Keeping</b>	Not Required	Required (except biennial reports) §262.11(f) and §262.40(a) and (d)	Required §§262.42 and 262.43
<b>Facility Type</b>	Facilities noted in §§262.14(a) (5)	RCRA permitted/interim status facility Parts 264/265, 266/267 and 270	RCRA permitted/interim status facility Parts 264/265, 266/267 and 270
<b>Closure</b>	Not Required	Required for tanks, drip pads and containment buildings - Tanks only §262.16(b)(3)(vi) Unit specific Part 265, sub-part W and DD for drip pads and containment buildings	Required - General §262.17(a)(8) - Unit specific Part 265, subpart W for drip pads

The table below provides a summary of requirements for each class of hazardous waste generator. This is not an exhaustive list of all of the requirements for generators and should be used as just a guide. Generators are responsible for all applicable requirements in 40 CFR part 262. Additionally, hazardous waste generators should check with their state regulatory agency because certain states have additional or more stringent requirements than the federal government.





If you feel any of your hazardous waste streams are misclassified, contact IDR immediately.

Our trained experts can determine if you may be misclassified.

This could result in a **LOWER GENERATOR STATUS BEING ASSIGNED** and a **SUBSTANTIAL REDUCTION** in waste fees.

**CONTACT IDR TODAY**

